



Particle Processing | Delivery Technologies | Dose Manufacturing

PRODUCT DATA SHEET

DESTAB™ CALCIUM CARBONATE 90S ULTRA 250

Product Code: 9-4741S (Drums)

PRODUCT DESCRIPTION

Destab™ Calcium Carbonate 90S - Ultra 250 is a white to off-white free flowing, directly compressible powder, manufactured to contain 90% Calcium Carbonate, USP/Ph.Eur. and 9% Pregelatinized Corn Starch, NF/Ph.Eur. Destab™ Calcium Carbonate 90S - Ultra 250 was designed for tablet and capsule formulations where optimum tableting and free flowing characteristics are desired.

Table with 2 columns: PARAMETERS and SPECIFICATIONS. Rows include Assay (873-954 mg/g), Identification (Positive for Calcium, Carbonate, Starch), Particle Size (#20 to #200 U.S. Std. Sieve), Moisture (NMT 1.8%), Bulk Density (0.6-0.7 g/cc), Lead (NMT 200 ppb), Total Microbial Count (NMT 1000 cfu/g), Yeast and Mold Count (NMT 100 cfu/g), E. Coli (Negative), Salmonella Species (Negative), Staph. Aureus (Negative), and Description (White to off-white free flowing, fine powder).

STABILITY

Destab™ Calcium Carbonate 90S - Ultra 250 is physically and chemically stable when stored in tightly closed containers in a dry location.

Packaged in 90 kg fiber board drums with steel locking rims with a polyethylene liner

Destab™ Calcium Carbonate 95S - Ultra 250 is physically and chemically stable when stored in well closed containers in a dry location.

This Product Data Sheet has been compiled from information believed to be accurate and reliable. However, Particle Dynamics MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, EITHER WITH TO THE INFORMATION PROVIDED OR THE PRODUCT DESCRIBED, (INCLUDING ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE), and same should not be deemed or relied upon as a substitute for testing of the product herein described by purchaser or of any product into which it is incorporated.

This Product Data Sheet does not represent an offer or agreement by Particle Dynamics to sell the product herein described. Any such offer or agreement will be subject to Particle Dynamics' standard terms and conditions which will be made available upon request.